C5M

3K/5MP Dual-band Wi-Fi IP Camera

Keep an eye on your home & child anytime anywhere



3K 5.0 Megapixel	360° Monitoring Done Manually	Pet Detection	AI Human Detection	Magnetic Bracket
Two-way Audio	2.4GHz & 5GHz Wi-Fi	135° Wide Angle of view	Clear Night Vision	Micro SD Card & Cloud Storage

- Supports 2.4GHz & 5GHz Dual-band Wireless Connection
- Supports AI Human & Pet(Dog &Cat) & Motion & Sound Detection
- H.264+/H.264 Video Compression
- Supports Diagonal Angle of View 135°
- Supports Night Vision up to 8 Meters
- Supports High-Quality Two-way Audio
- Supports Manual Pan/Tilt Angle Horizontal: 360° & Vertical: 310°
- Works with Amazon Alexa and Google Home
- Supports Max 256GB Micro SD Card & Cloud Storage
- Work with Free Foscam iOS and Android APP
- Compatible with Microsoft Windows (Foscam VMS) and MacOS (Foscam VMS)
- Compatible with Android (Foscam app) and iOS (Foscam app)

Appearance Accessories





Where it can be used

Bedrooms, living rooms, stores, or similar indoor locations.



Specification · Wi-Fi IP Camera

ITEMS		C5M
Image Sensor	Sensor Type	High definition color CMOS sensor
	Display Resolution	5.0Megapixels(3072*1728)
	Min. Illumination	0 Lux (With IR Illuminator)
Lens	Lens Type	f.2.8mm; F2.0
	Angle of view	Diagonal: 135°, Horizontal: 111.4°, Vertical: 60°
Video	Image Compression	H.264+/H.264
	Resolution	5MP(3072*1728) 1.5M/25 fps, 1080P(1920*1080)1M/25fps, 720P(1280*720)1M/15fps
	Stream	Dual stream
	Image Adjustment	The brightness, contrast, saturation and sharpness are adjustable
	Flip Image	Flip and mirror
	Infrared Mode	Automatic or manual
	Night Visibility	9pcs IR-LEDs, night vision range up to 8 metres
Audio	Input/Output	Supports two-way audio
	Audio Compression	PCM/AAC
Network	Ethernet	One 10/100Mbps RJ45 port
	Wireless Standard	2.4/5GHz dual-band, IEEE802.11b/g/n/ac
	Data Rate	IEEE802.11b: 11Mbps(Max.); IEEE802.11g: 54Mbps(Max.); IEEE802.11n: 150Mbps(Max.). IEEE802.11ac: 433Mbps(Max.).
	Wireless Security	WPA, WPA2
	Wireless Setup	Supports Bluetooth connection + QR Code
	Network Protocol	IP, TCP, UDP, SMTP, FTP, DHCP, RTSP
	Remote Access	P2P
System Requirements	Operating System	Microsoft Windows (Foscam VMS), MacOS (Foscam VMS), Android (Foscam app), iOS (Foscam app)
Other Features	Motion Detection	Alarm via E-Mail, FTP and Foscam app when an event is detected
	Sound Detection	Alarm via E-Mail, FTP and Foscam app when an event is detected
	Human Detection	Alarm via E-Mail, FTP and Foscam app when an event is detected
	Pet Detection(Dog &Cat)	Alarm via E-Mail, FTP and Foscam app when an event is detected
	WDR	Improve image clarity in complex scenarios
	Zoom	6X digital zoom function
	Storage	Support max. 256GB Micro SD card, local and FTP storage,Foscam cloud storage
	Intelligent Assistant	Supports Alexa, Google Home
Power	Power Supply	USB C 5V/1A
	Power Consumption	<4.8W
Physical	Color	Black/White
	Dimension(mm)	70(L)*70(W)*120(H)mm
	Net Weight	102g
Environment	Operating Temperature	-10°C ~ 50° (14°F ~ 122°F)
	Operating Humidity	20% ~ 85% non-condensing
	Storage Temperature	-20°C ~ 60° (-4°F ~ 140°F)
	Storage Humidity	0% ~ 90% non-condensing
Certification	CE, FCC, RoHS,WEEE	

* Product specifications are for reference only and could be subject to change without prior notice.

Shenzhen Foscam Intelligent Technology Co., Ltd.
Room 902, Building 1B, Shenzhen International Innovation Valley,
Xingke 1st Street, Nanshan District, Shenzhen, PRC 518055
E-mail: sales@foscam.com Website: www.foscam.com

FOSCAM®
home security