FOSCAM®
home security

V4EC

2K/4MP STARLIGHT PoE CAMERA

V4EC • Foscam Security Camera

Ordinary Night Vision

Color Night Vision

2K 4.0 Megapixel	Color Night Vision	Two-way Audio	Spotlight	Waterproof
PoE Power over Ethernet	AI Human Detection	H.264+ H.264+	Amazon Alexa & Google Home	Micro SD Card & Cloud



- 2K/4MP QHD Waterproof IP Camera
- Night Vision Range up to 20m(66 feet)
- Supports PoE
- Supports HDR
- Supports Full Duplex Two-way Audio
- H.264+ Video Compression
- P2P Feature for Easy Remote Access
- Supports Human Detection and Motion Detection
- Built-in 4pcs Spotlight and IR LED, Has Excellent Night Vision Image
- Provide Clear Colorful Video in the Low Illumination Condition
- Supports Amazon Alexa & Google Home
- Supports Max. 256GB Micro SD Card Storage(External) & Cloud Service
- Compatible with Free Foscam Central Management Software
- Compatible with Free Foscam iOS and Android APP

Appearance Accessories



Where it can be used

Home Yard, Front Porch, Driveway, Garden or Other Dark Properties

Specification · Starlight Camera

Spotlight	Color Temperature	4500K
Image Sensor	Sensor Type	High definition color CMOS Sensor
	Display Resolution	4.0 megapixels (2560*1440)
	Min. Illumination	0 Lux (With IR illuminator)
Lens	Lens Type	f:4.9mm, F1.65
	Angle of View	Diagonal: 101.5°,Horizontal: 89°,Vertical: 51°
Video	Image Compression	H.264+ / H.264
	Resolution	2K(2560*1440) 25fps,1080P(1920x1080) 25fps,720P(1280 x 720), VGA(640 x 480), VGA(640 x 360)
	Stream	Dual stream
	Image Adjustment	The hue, brightness, contrast, saturation, sharpness are adjustable
	Flip Image	Flip and mirror
	Night Vision	Color night vision, infrared night vision, automatic mode
	Night Visibility	With 4pcs spotlight and IR LED, Night vision range up to 20m
Audio	Input/Output	Built-in mic and speaker,support full duplex 2-way audio
	Audio Compression	PCM/AAC
	Siren	Support maximum 100dB alarm siren
Network	Ethernet	One 10/100Mbps RJ45 port
	Remote Access	P2P
	Network Protocol	IP,TCP,UDP,SMTP,FTP,RTSP
System Requirements	Operating System	Microsoft windows (Foscam VMS), mac OS (Foscam VMS), android (Foscam app), iOS (Foscam app)
Other Features	Motion Detection	Alarm via E-Mail, FTP and Foscam app when an event is detected
	Human Detection	Alarm via E-Mail, FTP and Foscam app when an event is detected
	User Accounts	Three levels user role
	HDR	Improve image clarity in complex scenario
	Zoom	6X digital zoom function
	Storage	Support max. 256GB Micro SD card, local and FTP storage,Foscam cloud storage
	Privacy Block	Yes
	Intelligent Assistant	Supports Alexa, Google Home
Power	Power Supply	DC 12V/1.0A(Not included)
	POE Standard	802.3af
	Power Consumption	6 Watts (Max.)
Physical	Dimension(LxWxH)	170(L)x66 (W)x66 (H)
	Net Weight	344g
Environment	Waterproof	IP66
	Operating Temperature	-20°C ~ 50°C (-4°F ~ 122°F)
	Operating Humidity	10% ~ 80% non-condensing
	Storage Temperature	-20°C ~ 60°C (-4°F ~ 140°F)
	Storage Humidity	0% ~ 90% non-condensing
Certification	FCC, CE, RoHS, IP66, UKCA	

* Product specifications are for reference only and could be subject to change without prior notice.

Shenzhen Foscam Intelligent Technology Co., Ltd.
Room 901-902, Building 1B, Shenzhen International Innovation Valley,
Xingke 1st Street, Nanshan District, Shenzhen, PRC 518055
E-mail: sales@foscam.com Website: www.foscam.com

FOSCAM®
home security