3K 5.0 Megapixel | Sound and Light Alarm | Vehicle Detection | AI Human Detection | Two-way Audio

Night Vision | IP66 Weatherproof | Message Push | Micro SD Card & Cloud | Smart Home Compatibility



- Flashing red & blue lights, spotlight, and siren will be triggered once the intruder is detected
- Vehicle Detection alarm via E-Mail, FTP and Foscarm app
- Human Detection alarm via E-Mail, FTP and Foscam app
- Supports Full Duplex two-way Audio
- Supports WDR(Wide-Dynamic Range)
- Night Vision Range up to 20m
- Supports Support PoE Function
- Supports 256GB Micro SD Card storage(External)
- Compatible with free Foscam iOS and Android APP
- Compatible with free Foscam Video Management Software

Appearance Accessories

Where it can be used

Home Yard, Front Porch, Driveway, Garden or Other Dark Properties

Specification · PoE IP Camera

ITEMS		W5EP
Spotlight	Color Temperature	6000K
Image Sensor	Sensor Type	High Definition Color CMOS Sensor
	Display Resolution	5.0Megapixels(3072*1728)
	Min. Illumination	0 Lux (With IR Illuminator)
Lens	Lens Type	f:3mm; F2.0
	Angle of view	Diagonal: 108°, Horizontal: 94.5°, Vertical: 53°
Video	Image Compression	H.264+/H.264
	Resolution	5MP(3072*1728) 1.5M/25 fps,1080P(1920*1080)1M/25fps, 720P(1280*720)1M/15fps
	Stream	Dual stream
	Image Adjustment	The hue, brightness, contrast, saturation, sharpness are adjustable
	Flip Image	flip and mirror
	Night Mode	Manual and automatic modes,when the white light is on, the night vision image is colored
	Night Visibility	With 4pcs IR-LED and spotlight, Night Vision Range up to 20m
Audio	Input/Output	Built-in mic and speaker,support full duplex 2-way Audio
	Audio Compression	PCM/AAC
	Siren	Support maximum 100dB alarm siren
Network	Ethernet	One 10/100Mbps RJ45 port
	Remote Access	P2P
	Network Protocol	IP, TCP, UDP, SMTP, FTP, DHCP, RTSP
System Requirements	Operating System	Microsoft Windows (Foscam VMS), MacOS (Foscam VMS), Android (Foscam app), iOS (Foscam app)
Other Features	Motion Detection	Alarm via E-Mail, FTP and Foscam app when an event is detected
	Human Detection	Alarm via E-Mail, FTP and Foscam app when an event is detected
	Vehicle Detection	Alarm via E-Mail, FTP and Foscam app when an event is detected
	Sound & Light Alarm	Flashing red & blue lights, spotlight, and siren will be triggered once the intruder is detected
	WDR	Improve image clarity in complex scenario
	Zoom	20X digital zoom function
	Storage	Support max. 256GB Micro SD card, local and FTP storage,Foscam cloud storage
	Intelligent Assistant	Supports Alexa, Google Home
Power	Power Supply	DC 12V/1.0A (Not included)
	POE Standard	802.3af
	Power Consumption	12 Watts (Max.)
Physical	Dimension	φ105*95mm
	Net Weight	440g
Environment	Waterproof	IP66
	Operating Temperature	-20°C ~ 50°C (-4°F ~ 122°F)
	Operating Humidity	10% ~ 80% non-condensing
	Storage Temperature	-20°C ~ 60°C (-4°F ~ 140°F)
	Storage Humidity	0% ~ 90% non-condensing
Certification	FCC, CE, RoHS, IP66	

* Product specifications are for reference only and could be subject to change without prior notice.

Shenzhen Foscam Intelligent Technology Co., Ltd.
Room 902, Building 1B, Shenzhen International Innovation Valley,
Xingke 1st Street, Nanshan District, Shenzhen, PRC 518055
E-mail: sales@foscam.com Website: www.foscam.com

FOSCAM®
home security